

2 - way Loudspeaker Power Punch Performance



SPEAKERS

RX-10 / RX-12 / RX-15 / RX-18B

2 - Way Loudspeakers

IVA rX series is an upgraded version of the legendary IVA XVP series. With high clarity and tight punch, the performance outperform many others entry level speakers in market. Powerful long-excursion LF drivers and high performance compression drivers combined with optimized electronics specially engineered in Netherlands deliver a highly professional product to entry-level users. The cabinet is made of solid and high density multiply wood, a material usually used in high end product. No other entry level cabinets could come close to rX's cabinet.




rx-10 / rx-12 / rx-15 2-ways Loudspeaker


Features

- Powerful driver delivers incredible acoustic power and deep bass
- High performance compression driver for powerful high frequencies capable of long throw applications
- Elegant design with highly durable paint finishing
- Upgraded high density multiply wood cabinet
- Sturdy grill with foam panel for protection against elements
- Industry standard speakon connectors
- Integral metal tripod stand / pole adapter
- **Engineered in Netherlands**

rX-15












rX-12











rX-10













Model	rX-10	rX-12	rX-15	rX-18B
Description	10" 2-Way	12" 2-Way	15" 2-Way	18" 1 Way
Frequency Response (Hz), -3dB	90 – 17,000	63 – 20,000	60 – 20,000	45 -160
Sensitivity (1W 1m +/- 3dB)	98	97	97	101
Peak SPL @ 1m	126 dB	127 dB	126.8 dB	131.8
RMS Power	160W	240W	240W	300W
Program Power	320W	480W	480W	600W
Peak Power	640W	960W	960W	1200W
Nominal Impedance	8 Ohm	8 Ohms	8 Ohms	8 Ohms
Crossover Frequency (Hz)	1750 Hz, 18 dB/Oct	1700 Hz, 18 dB/Oct	1600 Hz, 12 dB/Oct	160 Hz, 12 dB/Oct
Dispersion Angle (H x V)	60° x 40°	90° x 50°	90° x 50°	360° x 180°
Dimension (W x H x D)	356 x 536 x 358 mm	422 x 613 x 373 mm	471 x 750 x 420 mm	540 x 705 x 560
Weight	17.2 kg	21.2 kg	26.4 kg	40.6

[•] The manufacturer reserves the right to make changes or improvements in manufacturing or design which may affect specifications.



rx-10 / rx-12 / rx-15 2-ways Loudspeaker

Best Compatible System




Compatible for 1 unit or 2 unit of rX-10 each side.



Compatible for 1 unit or 2 unit of rX-12 each side.



Compatible for 1 unit or 2 unit of rX-15 each side.



Compatible for 1 unit or 2 unit of rX-12 / rX-15 each side.